

PORT-A-GUARD – Free standing models

BPG1 Standard 3.2 metre

Port-a-guard BPG1 is a portable, expanding crowd control barrier. Compact and lightweight, the BPG1 is suitable for indoor or outdoor use. The unique design of the extruded aluminium slats and vertical posts makes them strong and lightweight while the injection moulded plastic feet ensure that the complete unit is durable and corrosion free. The BPG1 is a versatile and portable solution to all your pedestrian and vehicular traffic control problems. A full range of spare parts and accessories is readily available for all Port-a-guard models, see Sections 6.4 to 6.6. Finished in red/white or black/yellow powdercoat. Weight 5.4kg. Closed 290mm. Open 3200mm.

PART No.	DESCRIPTION
BPG1RW	Port-a-guard 3.2 metre free standing (Red/White)
BPG1BY	Port-a-guard 3.2 metre free standing (Black/Yellow)




BPG1RW shown.



BPG4 Standard 5 metre

Port-a-guard BPG4 is a portable, expanding crowd control barrier. Compact and lightweight, the BPG4 is suitable for indoor or outdoor use. The unique design of the extruded aluminium slats and vertical posts is both strong and lightweight while the injection moulded plastic feet ensure that the complete unit is durable and corrosion free. A full range of spare parts and accessories is readily available for all Port-a-guard models, see Sections 6.4 to 6.6. Finished in red/white or black/yellow powder coat. Weight 8.3kg. Closed 475mm. Open 5000mm.

PART No.	DESCRIPTION
BPG4RW	Port-a-guard 5.0 metre free standing (Red/White)
BPG4BY	Port-a-guard 5.0 metre free standing (Black/Yellow)




BPG4BY shown.



BPG2 Port-a-guard flexi

Port-a-guard Flexi is like no other product on the market. Apart from its ability to expand out to 5.4 metres, it also pivots at the middle through a full 270 degrees and can step up to 300mm for changing floor levels. A full range of spare parts and accessories is readily available for all Port-a-guard models, see Sections 6.4 to 6.6. Finished in red/white or black/yellow powder coat. Weight 9.2kg. Closed 300mm. Open 2 x 2700mm.

PART No.	DESCRIPTION
BPG2RW	Port-a-guard Flexi 5.4 metre free standing (Red/White)
BPG2BY	Port-a-guard Flexi 5.4 metre free standing (Black/Yellow)




BPG2RW shown.



BPG6 Port-a-guard Utility

Port-a-guard Utility has been designed for cordoning off small spaces. Consisting of three sides, each capable of expanding out to 2.6 metres. When fully closed the Utility is compact and easily carried by one person. Manufactured from non-corrosive powder coated aluminium. A full range of spare parts and accessories is readily available for all Port-a-guard models, see Sections 6.4 to 6.6. Finished in red/white or black/yellow powder coat. Weight 17kg. Closed 360mm. Open 3 x 2600mm.

PART No.	DESCRIPTION
BPG6RW	Port-a-guard utility 3 x 2.6 metre (Red/White)
BPG6BY	Port-a-guard utility 3 x 2.6 metre (Black/Yellow)



BPG6BY shown.

BPGL8BY Port-a-guard light

Port-a-guard Light BPGL8BY is a lightweight portable, expanding crowd control barrier. Compact and lightweight, the BPGL8BY is suitable for indoor or outdoor use. The built-in handle and locking strap simplifies handling and portability. The plastic slats and legs are durable and lightweight, but for extra stability the legs can be filled with water to give it some needed weight in windy conditions. The complete unit is durable and resists corrosion. A versatile and portable solution to all your pedestrian traffic control problems. Finished in black/yellow plastic. Weight 3kg. Closed 250mm. Open 2400mm at 970mm high.

PART No.	DESCRIPTION
BPGL8BY	Port-a-guard light plastic barrier



BPGL8BY shown.



SECTION 6.3

PORT-A-GUARD – Wall mount models

BPG5 Wall mount 3.2 metre

Port-a-guard BPG5 is an expanding crowd control barrier with the added advantage of being fixed in one location. Supplied with wall mount brackets at one end and freestanding post at the other. The unique design of the extruded aluminium slats and vertical posts is both strong and lightweight while the injection moulded plastic feet ensure that the complete unit is durable and corrosion free. A full range of spare parts and accessories is readily available for all Port-a-guard models, see Sections 6.4 to 6.6. Finished in red/white or black/yellow powdercoat. Weight 6.5kg. Closed 290mm. Open 3200mm.

PART No.	DESCRIPTION
BPG5RW	Port-a-guard 3.2 metre wall mount – Red/White
BPG5BY	Port-a-guard 3.2 metre wall mount – Black/Yellow



BPG5RW shown.



BPG7 Wall mount 5.0 metre

Port-a-guard BPG7 is supplied with wall mount brackets at one end and freestanding post at the other. The unique design of the extruded aluminium slats and vertical posts is both strong and lightweight while the injection moulded plastic feet ensure that the complete unit is durable and corrosion free. A full range of spare parts and accessories is readily available for all Port-a-guard models, see Sections 6.4 to 6.6. Finished in red/white or black/yellow powdercoat. Weight 12.5kg. Closed 475mm. Open 5000mm.

PART No.	DESCRIPTION
BPG7RW	Port-a-guard 5.0 metre wall mount – Red/White
BPG7BY	Port-a-guard 5.0 metre wall mount – Black/Yellow



BPG7BY shown.



Wall mount installation instructions

- Place bottom wall mount bracket against selected wall, straight and flush with the floor. Attach with suitable fixings.
- Slide Port-a-guard over bottom wall mount bracket.
- Place top wall mount bracket against the wall, and slide into the top of the Port-a-guard.
- Make sure wall mount is flush with Port-a-guard. Screw wall mount bracket firmly into place. The Port-a-guard is now permanently fixed in place.
Note: Do not install top bracket if the Port-a-guard is to be removed or repositioned.
***Additional brackets are available, if required.**
- Port-a-guard Wall mount is ready for use.



LEGEND



AUSTRALIAN CONTENT

This product has been designed, developed and is either completely or substantially manufactured in Australia. (The minimum Australian content is between 50 and 100%).



NEW AND UNIQUE

This is a new and unique product. It has either been designed, developed and manufactured by the Barrier Group Pty. Ltd. or it is being seen here for the first time.



100% RECYCLABLE

This product is manufactured from virgin grade raw materials and is 100% recyclable using existing, readily available recycling technology and services.



RECYCLED MATERIALS

This product has been manufactured from either a combination of recycled materials and virgin grade materials or entirely from recycled materials.



HOT DIP GALVANISED

This product has been hot dip galvanised prior to any surface coatings being applied. Hot dip galvanised offers vastly improved corrosion protection and extended life in harsh environments.



FIXINGS INCLUDED

This product comes complete with all the necessary fixings to complete the standard installation. When comparing competitors prices against our own, always ensure they have included the fixings with the product (excludes gravel spikes).



5 YEAR WARRANTY

This product carries a 5 year limited warranty against structural failure due to faulty materials or workmanship in our manufactured products, OR structural failure and major fading due to U.V. degradation in our injection moulded products.

(For full conditions visit www.barriergroup.com.au).

WARNING

© Barrier Group Pty. Ltd. takes the protection of its intellectual property (IP) seriously and will not hesitate to pursue legal action against any individual, group or organization attempting to steal, copy or duplicate any of its proprietary designs OR anyone who imports, sells or distributes illegal copies or duplicates of its proprietary designs.

IT'S AGAINST THE LAW – AVOID THE PAIN!