



BPG15 Port-a-guard Escalator

Port-a-guard Escalator is designed for closing off escalators and elevators during servicing or breakdowns. To operate, position within an opening, and expand until each end of the Port-a-guard is secured against each side of the opening.

Gas struts and suction cups work together to hold the Port-a-guard in position, ensuring that the unit stays in place.

To remove, break the seal on the suction cups and close unit to remove. Weight 5kg. Closed 330mm. Open 2000mm.



BPG15RW shown.

PART No.	DESCRIPTION
BPG15RW	Port-a-guard Escalator 2.0 metre (Red/White)
BPG15BY	Port-a-guard Escalator 2.0 metre (Black/Yellow)

SECTION 6.4

PORT-A-GUARD SPARE PARTS

Replacement feet

Replacement plastic foot moulded from durable ABS plastic, suits all Port-a-guard models. Sold individually and available in black only.

The Port-a-guard replacement foot is held in place by a single screw. Simply remove damaged foot and fit new foot using a Phillips head screwdriver. Holes to receive optional locking castors are moulded in.

For more details on castors see Section 6.5.




BPG16B.

PART No.	DESCRIPTION
BPG16-B	Replacement foot – Black ABS plastic replacement foot

Replacement slats

Replacement extruded aluminium slat kits for the replacement of damaged slats or to extend the opening width of existing Port-a-guards. Each kit contains 2 slats (1 each colour) and the necessary fixings. Available in Black/Yellow or Red/White.

Note: 1 pair of slats equates to an additional 600mm max. opening width.



BPG17BY shown.

PART No.	DESCRIPTION
BPG17-BY	1 pair replacement slats – Black/Yellow
BPG17-RW	1 pair replacement slats – Red/White

SECTION 6.5

PORT-A-GUARD ACCESSORIES

Free standing posts

A freestanding post for installation of fixed Port-a-guards where there is not a wall or structure to mount off. Simply mount your Port-a-guard to the brackets built-in to the post and fix into the ground. Steel construction with a black powder coated finish. If mounting into a new concrete footing use with BGK4 in-ground kit (see right).

PART No.	DESCRIPTION
BPG19SM	Port-a-guard free standing post (replaces BPG13SM)
BGK4	Below ground kit



BPG19SM.



BGK4.





Base weights

Our optional base weight add approximately 2.45kgs per weight. Ideal if required for use in high wind areas. Weights are sold individually and come complete with fixings. They are simple to attach to the existing plastic Port-a-guard foot using only a hex key. Zinc plated finish.

Fixings are provided with each weight purchased.



PART No.	DESCRIPTION
BPG12	Base weight – 2.45kgs (each)

Locking castors

Port-a-guard castors quickly and cost effectively convert your new or existing Port-a-guard, making it much easier to move about.

Locking castors are sold individually. No special tools or modifications necessary, simply screw the castors into the base of the plastic foot.

The built-in locking feature improves the stability of Port-a-guards while in service.



PART No.	DESCRIPTION
BPG88	Locking castor (each)

Wall receiver bracket

The wall receiver bracket allows your Port-a-guard to be locked in position to temporarily close off an area or restrict access, or alternatively, to prevent your Port-a-guard from unauthorised removal.

Simply attach the bracket to any wall or structure, and secure the Port-a-guard using the post wing. Suitable for use with any standard padlock (sold separately). Attractive gold zinc plated finish, manufactured from 3mm mild steel.



PART No.	DESCRIPTION
BPG-WR	Port-a-guard wall receiver (each)

Additional wall mount bracket

Purchasing an extra set of Port-a-guard wall mount brackets allows you to convert a standard freestanding Port-a-guard to a wall mount version. Alternatively, you may wish to use your existing wall mount model in more than one location.

Constructed from heavy 6mm plate and thick wall tube with a gold zinc plated finish. The set comprises two parts. The lower receiver post accepts the Port-a-guard while the upper locking bracket prevents the unauthorised removal of your Port-a-guard once installed. Fixings not included.

See Section 6.3 for installation procedure.



PART No.	DESCRIPTION
BPG14	Additional wall bracket set

LEGEND



AUSTRALIAN CONTENT

This product has been designed, developed and is either completely or substantially manufactured in Australia. (The minimum Australian content is between 50 and 100%).



NEW AND UNIQUE

This is a new and unique product. It has either been designed, developed and manufactured by the Barrier Group Pty. Ltd. or it is being seen here for the first time.



100% RECYCLABLE

This product is manufactured from virgin grade raw materials and is 100% recyclable using existing, readily available recycling technology and services.



RECYCLED MATERIALS

This product has been manufactured from either a combination of recycled materials and virgin grade materials or entirely from recycled materials.



HOT DIP GALVANISED

This product has been hot dip galvanised prior to any surface coatings being applied. Hot dip galvanised offers vastly improved corrosion protection and extended life in harsh environments.



FIXINGS INCLUDED

This product comes complete with all the necessary fixings to complete the standard installation. When comparing competitors prices against our own, always ensure they have included the fixings with the product (excludes gravel spikes).



5 YEAR WARRANTY

This product carries a 5 year limited warranty against structural failure due to faulty materials or workmanship in our manufactured products, OR structural failure and major fading due to U.V. degradation in our injection moulded products.

(For full conditions visit www.barriergroup.com.au).

WARNING

© Barrier Group Pty. Ltd. takes the protection of its intellectual property (IP) seriously and will not hesitate to pursue legal action against any individual, group or organization attempting to steal, copy or duplicate any of its proprietary designs OR anyone who imports, sells or distributes illegal copies or duplicates of its proprietary designs.

IT'S AGAINST THE LAW – AVOID THE PAIN!