


MENNI COMPONENTS

Menni end module

End modules provide a start and end point for any installation. The rounded and sloping end reduces tripping hazards or the risk of tyre damage to vehicles.

Specifications:


Description:	Menni end module.
Material:	Injection moulded Linear Low Density Polyethylene (LLDPE).
Finish:	Solid colour (Yellow standard. Others on request).
Dimensions:	L540 x W150 x H100mm.
Weight:	Approx. 2 kgs per module.
No. of fixings:	2 per module (supplied).
Connectors:	1 off per module (supplied).



BME-Y

Supplied with:

- » 2 x Masonry fixings.
- » 2 x 50mm dia. washers.
- » 2 x Blanking plugs.
- » 1 x Connector plug.




PART No.	DESCRIPTION
BME-Y	Menni end module – Yellow
BMR	Optional top reflector plugs

Menni body module

Body modules are used to provide length. They can be used in any quantity and they may be combined with end, corner & 'T' modules.

Specifications:


Description:	Menni body module.
Material:	Injection moulded Linear Low Density Polyethylene (LLDPE).
Finish:	Solid colour (Yellow standard. Others on request).
Dimensions:	L540 x W150 x H100mm.
Weight:	Approx. 2 kgs per module.
No. of fixings:	2 per module (supplied).
Connectors:	1 off per module (supplied).



BMB-Y

Supplied with:

- » 2 x Masonry fixings.
- » 2 x 50mm dia. washers.
- » 2 x Blanking plugs.
- » 1 x Connector plug.



PART No.	DESCRIPTION
BMB-Y	Menni body module – Yellow
BMR	Optional top reflector plugs




Menni T-intersection module

T-intersection modules allow intersecting lines of modules to connect to each other. Particularly useful in pedestrian fencing or trolley bay applications.

Specifications:



Description:	Menni T-intersection module.
Material:	Injection moulded Linear Low Density Polyethylene (LLDPE).
Finish:	Solid colour (Yellow standard. Others on request).
Dimensions:	L300 x L225 x W150 x H100mm.
Weight:	Approx. 1.1 kgs per module.
No. of fixings:	1 per module supplied.
Connectors:	2 per module supplied.



BMT-Y

Supplied with:

- » 1 x Masonry fixing.
- » 1 x 50mm dia. washer.
- » 1 x Blanking plug.
- » 2 x Connector plugs.



PART No.	DESCRIPTION
BMT-Y	Menni T-intersection module – Yellow
BMR	Optional top reflector plugs




Menni 90 degree corner module

Corner modules allow for left or right changes in direction of 90 degrees. Can be used with all other modules.

Specifications:



Description:	Menni 90 degree corner module.
Material:	Injection moulded Linear Low Density Polyethylene (LLDPE).
Finish:	Solid colour (Yellow standard. Others on request).
Dimensions:	L225 x W150 x H100mm.
Weight:	Approx. 0.8 kgs per module.
No. of fixings:	1 per module supplied.
Connectors:	1 per module supplied.



BMC-Y

Supplied with:

- » 1 x Masonry fixing.
- » 1 x 50mm dia. washer.
- » 1 x Blanking plug.
- » 1 x Connector plug.



PART No.	DESCRIPTION
BMC-Y	Menni 90 degree corner module – Yellow
BMR	Optional top reflector plugs

LEGEND



AUSTRALIAN CONTENT

This product has been designed, developed and is either completely or substantially manufactured in Australia. (The minimum Australian content is between 50 and 100%).



NEW AND UNIQUE

This is a new and unique product. It has either been designed, developed and manufactured by the Barrier Group Pty. Ltd. or it is being seen here for the first time.



100% RECYCLABLE

This product is manufactured from virgin grade raw materials and is 100% recyclable using existing, readily available recycling technology and services.



RECYCLED MATERIALS

This product has been manufactured from either a combination of recycled materials and virgin grade materials or entirely from recycled materials.



HOT DIP GALVANISED

This product has been hot dip galvanised prior to any surface coatings being applied. Hot dip galvanised offers vastly improved corrosion protection and extended life in harsh environments.



FIXINGS INCLUDED

This product comes complete with all the necessary fixings to complete the standard installation. When comparing competitors prices against our own, always ensure they have included the fixings with the product (excludes gravel spikes).



5 YEAR WARRANTY

This product carries a 5 year limited warranty against structural failure due to faulty materials or workmanship in our manufactured products, OR structural failure and major fading due to U.V. degradation in our injection moulded products.

(For full conditions visit www.barriergroup.com.au).

WARNING

© Barrier Group Pty. Ltd. takes the protection of its intellectual property (IP) seriously and will not hesitate to pursue legal action against any individual, group or organization attempting to steal, copy or duplicate any of its proprietary designs OR anyone who imports, sells or distributes illegal copies or duplicates of its proprietary designs.

IT'S AGAINST THE LAW – AVOID THE PAIN!