


NEATA AIRPORT BARRIERS



FEATURES:

1. The Neata choice. Select from Belt, Rail, Rope or Plain posts.
2. With the posts installed the footprint is only 65mm in diameter. The elimination of bulky bases reduces tripping hazards and improves wheel chair and trolley access.
3. With the posts removed the floor is left flush and capped, eliminating any risk of a tripping hazard.
The diameter of the in-ground sleeve is an unobtrusive 25mm (NK80). An optional sleeve is also available with a 60mm diameter flange for carpeted floors.
4. Unlike post and base designs, Neata in-floor posts don't have to be moved for cleaning. This eliminates the daily routine of removing and repositioning, saving time, money and stress on staff. Typical old style post and base barriers can weigh up to 14kgs. Neata fixed posts weigh a mere 3.2kgs and consume a fraction of the floor space.
5. Neata fixed posts are locked in place so they can not be easily removed by unauthorised people. This is a major safety feature and reduces liability. The in-floor 'Flexi' posts are a world first design allowing them to tilt up to 10 degrees in any direction on impact and return. This minimises potential damage to posts and injury to pedestrians.



BELT POSTS In-Floor Flexi

The unique in-floor sleeves mean these posts can be deployed, removed or repositioned at any time by staff while remaining tamper resistant for improved public safety. A world first impact absorbing design that allows the post to tilt on impact by up to 10 degrees in any direction and return to its original position without damage. Furthermore, the design increases available floor space by up to 30%, improving wheelchair access and reducing tripping hazards.

- Post:** 316 stainless, 63 x 1.6 x 950mm high.
- Base:** Threaded in-floor stainless sleeve.
- Footprint:** 65mm diameter.
- Connection:** Flexible, impact absorbing.
- Belt:** Retractable 2 metre 4-way.
- Weight:** 3.2kgs.
- Installation:** Core drilled in-floor sleeve (sold separately).

PART No.	DESCRIPTION
NBIF-BLK	Neata Belt In-Floor Flexi post – Black
NBIF-BLU	Neata Belt In-Floor Flexi post – Blue
NBIF-RED	Neata Belt In-Floor Flexi post – Red
NBIF-YEL	Neata Belt In-Floor Flexi post – Yellow
NBIF-BUR	Neata Belt In-Floor Flexi post – Burgundy
NBIF-BY	Neata Belt In-Floor Flexi post – Black/Yellow
NBIF-RW	Neata Belt In-Floor Flexi post – Red/White



BELT POSTS Surface Mount Flexi

The stainless steel surface mounted base plate is permanently fixed to the floor. Suitable for timber floors or anywhere in-floor sleeves are not appropriate. A world first impact absorbing design that allows it to tilt on impact by up to 10 degrees in any direction and return to its original position without damage. Furthermore, the design increases available floor space by up to 30%, improving wheelchair access and reducing tripping hazards, and results in a safer, tamper-proof system.

- Post:** 316 stainless, 63 x 1.6 x 950mm high.
- Base:** 150 dia x 6mm stainless steel.
- Footprint:** 150mm diameter.
- Connection:** Flexible, impact absorbing.
- Belt:** Retractable 2 metre 4-way.
- Weight:** 5.2kgs.
- Installation:** 3 off fixings (sold separately).

PART No.	DESCRIPTION
NBSMF-BLK	Neata Belt Surface Mount Flexi post – Black
NBSMF-BLU	Neata Belt Surface Mount Flexi post – Blue
NBSMF-RED	Neata Belt Surface Mount Flexi post – Red
NBSMF-YEL	Neata Belt Surface Mount Flexi post – Yellow
NBSMF-BUR	Neata Belt Surface Mount Flexi post – Burgundy
NBSMF-BY	Neata Belt Surface Mount Flexi post – Black/Yellow
NBSMF-RW	Neata Belt Surface Mount Flexi post – Red/White



BELT POSTS Slimline Portable

An ultra low profile base that minimizes intrusion while maximizing stability. At 8mm high, wheelchairs, strollers and suitcases can easily navigate over the base. Slimline is our premium portable post and base unit. It is manufactured from 304 stainless steel with a padded underside for protecting sensitive floors.

- Post:** 304 stainless, 63 x 1.6 x 950mm high.
- Base:** 370 dia x 8mm stainless steel.
- Footprint:** 370mm diameter.
- Connection:** Portable freestanding.
- Belt:** Retractable 2 metre 4-way.
- Weight:** 9.6kgs.
- Installation:** Not required.
- Assembly:** Single M10 bolt (supplied).

PART No.	DESCRIPTION
NBSL-BLK	Neata Belt Slimline Portable post – Black
NBSL-BLU	Neata Belt Slimline Portable post – Blue
NBSL-RED	Neata Belt Slimline Portable post – Red
NBSL-YEL	Neata Belt Slimline Portable post – Yellow
NBSL-BUR	Neata Belt Slimline Portable post – Burgundy
NBSL-BY	Neata Belt Slimline Portable post – Black/Yellow
NBSL-RW	Neata Belt Slimline Portable post – Red/White



BELT POSTS Highline Portable

Highline is our most popular portable post and base belt barrier. The moulded rubber base is covered with a 304 grade spun stainless steel skirt for a high quality finish. The non-marking rubber base is gentle on floors and makes the post extremely stable.

- Post:** 304 stainless, 63 x 1.6 x 950mm high.
- Base:** Moulded rubber with stainless skirt.
- Footprint:** 380mm diameter.
- Connection:** Portable freestanding.
- Belt:** Retractable 2 metre 4-way.
- Weight:** 10.5kgs.
- Installation:** Not required.
- Assembly:** Single M10 bolt (supplied).

PART No.	DESCRIPTION
NBHL-BLK	Neata Belt Highline Portable post – Black
NBHL-BLU	Neata Belt Highline Portable post – Blue
NBHL-RED	Neata Belt Highline Portable post – Red
NBHL-YEL	Neata Belt Highline Portable post – Yellow
NBHL-BUR	Neata Belt Highline Portable post – Burgundy
NBHL-BY	Neata Belt Highline Portable post – Black/Yellow
NBHL-RW	Neata Belt Highline Portable post – Red/White



WALL MOUNT BARRIERS

Wall mount belt barriers are designed to complement other post units in the Neata range, or to be used as standalone barriers for aisle closures or supermarket checkouts etc. They use the same 2 metre belt cassettes as the posts in a welded 316 grade stainless steel body, with mounting brackets for attaching to a wall or post.

Post:	316 stainless, 63 x 1.6 x 160mm high.
Base:	Welded stainless steel legs.
Connection:	Wall or post mount.
Belt:	Retractable 2 metre 1-way.
Weight:	1.3kgs (approx.)
Installation:	Attached by screws at four places (supplied).

PART No.	DESCRIPTION
NWM-BLK	Neata Wall Mount Belt Barrier – Black
NWM-BLU	Neata Wall Mount Belt Barrier – Blue
NWM-RED	Neata Wall Mount Belt Barrier – Red
NWM-YEL	Neata Wall Mount Belt Barrier – Yellow
NWM-BUR	Neata Wall Mount Belt Barrier – Burgundy
NWM-BY	Neata Wall Mount Belt Barrier – Black/Yellow
NWM-RW	Neata Wall Mount Belt Barrier – Red/White



BELT POSTS Econoline Portable

The Econoline is our most affordable portable post and base belt barrier, offering an economical alternative to the high end Slimline or Highline models. The weighted base is covered with a polished stainless steel skirt for a quality finish. The base has built-in scuff pads to protect sensitive floors. Furthermore, the NBEL is compatible with our other belt barriers, as it uses the same belt cassettes.

Post:	304 stainless, 63 x 0.8 x 900mm high.
Base:	Weighted with stainless skirt.
Footprint:	330mm diameter.
Connection:	Portable freestanding.
Belt:	Retractable 2 metre 4-way.
Weight:	8kgs.
Installation:	Not required.
Assembly:	Single M10 bolt (supplied).

PART No.	DESCRIPTION
NBEL-BLK	Neata Belt Econoline Portable post – Black
NBEL-BLU	Neata Belt Econoline Portable post – Blue
NBEL-RED	Neata Belt Econoline Portable post – Red
NBEL-YEL	Neata Belt Econoline Portable post – Yellow
NBEL-BUR	Neata Belt Econoline Portable post – Burgundy
NBEL-BY	Neata Belt Econoline Portable post – Black/Yellow
NBEL-RW	Neata Belt Econoline Portable post – Red/White



BELT POSTS Extreme Portable

The Neata Extreme is the perfect retractable belt barrier for tough, industrial-type environments. The UPVC post with moulded rubber base means the Extreme can be used indoors or outdoors in any conditions and is incredibly stable. The non-marking rubber base is gentle on floors.

- Post:** Yellow UPVC, 63 x 1.6 x 950mm high.
- Base:** Moulded rubber.
- Footprint:** 380mm diameter.
- Connection:** Portable freestanding.
- Belt:** Retractable 2 metre 4-way.
- Weight:** 8.5kgs.
- Installation:** Not required.
- Assembly:** Single M10 bolt (supplied).

PART No.	DESCRIPTION
NBEX-BLK	Neata Belt Extreme Portable post – Black
NBEX-BLU	Neata Belt Extreme Portable post – Black
NBEX-RED	Neata Belt Extreme Portable post – Red
NBEX-YEL	Neata Belt Extreme Portable post – Yellow
NBEX-BUR	Neata Belt Extreme Portable post – Burgundy
NBEX-BY	Neata Belt Extreme Portable post – Black/Yellow
NBEX-RW	Neata Belt Extreme Portable post – Red/White



ROPE POSTS In-Floor Flexi

The unique in-floor sleeves mean these posts can be deployed, removed or repositioned at any time by staff while remaining tamper resistant to the public. Incorporating a world first impact absorbing design that allows it to tilt on impact by up to 10 degrees in any direction and return to its original position without damage. Furthermore, the design increases available floor space by up to 30%, improving wheelchair access and reducing tripping hazards and results in a safer, tamper-proof system.

- Post:** 316 stainless, 63 x 1.6 x 950mm high.
- Base:** Threaded in-floor stainless steel sleeve.
- Footprint:** 65mm diameter.
- Connection:** Flexible, impact absorbing.
- Hook:** 1, 2, 3 or 4 way snap hooks.
- Weight:** 3.2kgs.
- Installation:** Core drilled in-floor sleeve (sold separately).

PART No.	DESCRIPTION
NHIF-1WAY	Neata Rope In-Floor Flexi post – 1 way
NHIF-2WAY	Neata Rope In-Floor Flexi post – 2 way
NHIF-3WAY	Neata Rope In-Floor Flexi post – 3 way
NHIF-4WAY	Neata Rope In-Floor Flexi post – 4 way



ROPE POSTS Surface Mount Flexi

The stainless steel surface mounted base plate is permanently fixed to the floor. Suitable for timber floors or anywhere in-floor sleeves are not appropriate. Incorporates world first impact absorbing design that allows it to tilt on impact by up to 10 degrees in any direction and return to its original position without damage. Furthermore, the design increases available floor space by up to 30%, improving wheelchair access and reducing tripping hazards and results in a safer, tamper-proof system.

- Post:** 316 stainless, 63 x 1.6 x 950mm high.
- Base:** 150 dia x 6mm thick stainless steel plate.
- Footprint:** 150mm diameter.
- Connection:** Flexible, impact absorbing.
- Hook:** 1, 2, 3 or 4 way snap hooks.
- Weight:** 5.2kgs.
- Installation:** 3 fixings per post (sold separately).

PART No.	DESCRIPTION
NHSMF-1WAY	Neata Rope Surface Mount Flexi post – 1 way
NHSMF-2WAY	Neata Rope Surface Mount Flexi post – 2 way
NHSMF-3WAY	Neata Rope Surface Mount Flexi post – 3 way
NHSMF-4WAY	Neata Rope Surface Mount Flexi post – 4 way



ROPE POSTS Slimline Portable

An ultra low profile base that minimizes intrusion while maximizing stability. At 8mm high, wheelchairs, strollers and suitcases can easily navigate over the base. Slimline is our premium portable post and base unit. It is manufactured from 304 stainless steel and has a padded underside for protecting sensitive floors.

- Post:** 304 stainless, 63 x 1.6 x 950mm high.
- Base:** 370 dia x 8mm stainless steel.
- Footprint:** 370mm diameter.
- Connection:** Portable freestanding.
- Hook:** 1, 2, 3 or 4 way snap hooks.
- Weight:** 9.6kgs.
- Installation:** Not required.
- Assembly:** Single M10 bolt (supplied).

PART No.	DESCRIPTION
NHSL-1WAY	Neata Rope Slimline Portable post – 1 way
NHSL-2WAY	Neata Rope Slimline Portable post – 2 way
NHSL-3WAY	Neata Rope Slimline Portable post – 3 way
NHSL-4WAY	Neata Rope Slimline Portable post – 4 way



ROPE POSTS Highline Portable

Highline is our most popular selling portable post and base barrier. The moulded rubber base is covered with a 304 grade spun stainless steel skirt for a high quality finish. The non-marking rubber base is gentle on floors and make the post extremely stable.

- Post:** 304 stainless, 63 x 1.6 x 950mm high.
- Base:** Moulded rubber with stainless skirt.
- Footprint:** 380mm diameter.
- Connection:** Portable freestanding.
- Hook:** 1, 2, 3 or 4 way snap hooks.
- Weight:** 10.5kgs.
- Installation:** Not required.
- Assembly:** Single M10 bolt (supplied).

PART No.	DESCRIPTION
NHHL-1WAY	Neata Rope Highline Portable post – 1 way
NHHL-2WAY	Neata Rope Highline Portable post – 2 way
NHHL-3WAY	Neata Rope Highline Portable post – 3 way
NHHL-4WAY	Neata Rope Highline Portable post – 4 way




ROPE POSTS Extreme Portable

The Neata Extreme is the barrier for tough industrial type environments. The UPVC post with moulded rubber base means the Extreme can be used indoors or outdoors in any conditions. The non-marking rubber base is gentle on floors and makes the post extremely stable. Accepts Neata ropes, plastic or metal chain.

- Post:** Yellow UPVC, 63 x 1.6 x 950mm high.
- Base:** Moulded rubber.
- Footprint:** 380mm diameter.
- Connection:** Portable freestanding.
- Hook:** 1, 2, 3 or 4 way snap hooks.
- Weight:** 8.5kgs.
- Installation:** Not required.
- Assembly:** Single M10 bolt (supplied).

PART No.	DESCRIPTION
NHEX-1WAY	Neata Rope Extreme Portable post – 1 way
NHEX-2WAY	Neata Rope Extreme Portable post – 2 way
NHEX-3WAY	Neata Rope Extreme Portable post – 3 way
NHEX-4WAY	Neata Rope Extreme Portable post – 4 way



RAIL POST In-Floor Rigid

The unique in-floor sleeves mean these posts can be deployed, removed or repositioned if required. While these posts look identical to the 'In-floor Flexi' posts they have had the impact absorbing feature disabled as the rails require a rigid post. As rail posts can be fitted with a range of rail combinations which can also include in-fill panels they are made to order. The small footprint increases available floor space by up to 30%, improves wheelchair access and reduces tripping hazards.

- Post:** 316 stainless, 63 x 1.6 x 950mm high.
- Rails:** 75 x 10 x 1.6mm stainless steel.
- Base:** Threaded in-floor stainless steel sleeve.
- Footprint:** 65mm diameter.
- Connection:** Rigid.
- Rails/In-fills:** Any configuration (made to order).
- Weight:** 3kgs (post only).
- Installation:** Core drilled in-floor sleeve (sold separately).

PART No.	DESCRIPTION
NRLIR	Neata Rail In-Floor Rigid post
NFR-100	1 metre stainless steel rail with fittings
NFR-150	1.5 metre stainless steel rail with fittings
NFR-200	2 metre stainless steel rail with fittings

RAIL POST Surface Mount Rigid

A surface mounted rigid rail post for permanent placement or for installation into timber floors. While these posts look identical to the 'Surface Mount Flexi' posts they have had the impact absorbing feature disabled, as the rails require a rigid post. As rail posts can be fitted with a range of rail combinations which can also include in-fill panels they are made to order. The small footprint increases available floor space by up to 30%, improves wheelchair access and reduces tripping hazards.

- Post:** 316 stainless, 63 x 1.6 x 950mm high.
- Rails:** 75 x 10 x 1.6mm stainless steel.
- Base:** 150 dia x 6mm thick stainless steel plate.
- Footprint:** 150mm diameter.
- Connection:** Rigid.
- Rails/In-fills:** Any configuration (made to order).
- Weight:** 5kgs (post only).
- Installation:** 3 fixings per post (sold separately).

PART No.	DESCRIPTION
NRLSMR	Neata Rail Surface Mount Rigid post
NFR-100	1 metre stainless steel rail with fittings
NFR-150	1.5 metre stainless steel rail with fittings
NFR-200	2 metre stainless steel rail with fittings



PLAIN POSTS In-Floor Flexi or Rigid

The unique in-floor sleeves mean these posts can be deployed, removed or repositioned at any time by staff while remaining tamper resistant to the public. Neata Airport plain posts are available with our world first flexible impact absorbing feature. This allows them to tilt up to 10 degrees on impact. Alternatively, they can be specified with a rigid connection. Furthermore, the design increases available floor space by up to 30%, improving wheelchair access and reducing tripping hazards and results in a safer, tamper-proof system.

Post:	316 stainless, 63 x 1.6 x 950mm high.
Base:	Threaded in-floor stainless steel sleeve.
Footprint:	65mm diameter.
Connection:	Flexible, impact absorbing or Rigid.
Weight:	3.2kgs.
Installation:	Core drilled in-floor sleeve (sold separately).

PART No.	DESCRIPTION
NPIF	Neata Plain In-Floor Flexi post
NPIR	Neata Plain In-Floor Rigid post



PLAIN POSTS Surface Mount Flexi or Rigid

The stainless steel surface mounted base plate is permanently fixed to the floor. Suitable for timber floors or anywhere in-floor sleeves are not appropriate. Neata Airport surface mount posts are available with our world first flexible impact absorbing feature. This allows them to tilt up to 10 degrees on impact. Alternatively, they can be specified with a rigid connection. Furthermore, the design increases available floor space by up to 30%, improving wheelchair access, reduces tripping hazards and is tamper proof for improved safety. Plain posts can be slotted if necessary to accept a range of accessories.

Post:	316 stainless, 63 x 1.6 x 950mm high.
Base:	150 dia x 6mm stainless steel.
Footprint:	150mm diameter.
Connection:	Flexible, impact absorbing or Rigid.
Slots	Any configuration (made to order).
Weight:	5.2kgs (post only).
Installation:	3 fixings per post (sold separately).

PART No.	DESCRIPTION
NPSMF	Neata Plain Surface Mount Flexi post
NPSMR	Neata Plain Surface Mount Rigid post



Angled model shown

AIRPORT POSTS Post Mount Sign Holder

Vertical or angled sign holders which can view any laser printed messages from both sides. Clamps to 63mm Airport post.

PART No.	DESCRIPTION
NASH-A4APM	Neata Airport sign holder – A4 Angled post mount
NASH-A4SPM	Neata Airport sign holder – A4 straight post mount



SIGN HOLDER Surface Mount

Surface mount model for desktop applications these sign holders can display any laser printed messages and can be viewed from both sides.

PART No.	DESCRIPTION
NSH-A4SM	Neata sign holder – A4 Surface mount



SIGN HOLDER Wall Mount

The quick release acrylic panel receives any laser printed message or sign. Mounts securely to any flat wall surface.

PART No.	DESCRIPTION
NSH-A4WM	Neata sign holder – A4 wall mount



AIRPORT POSTS Post Mount Brochure Holder

A4 brochure holders hold up to 100 A4 sheets. Clamps to 63mm Airport post without interfering with the belt operation.

PART No.	DESCRIPTION
NABH-A4PM	Neata Airport brochure holder – A4 Post mount



BROCHURE HOLDER Surface Mount

Freestanding model for desktop applications. These A4 brochure holders are a classy and discrete way to hold up to 150 A4 sheets. Can be surface mounted if necessary.

PART No.	DESCRIPTION
NBH-A4SM	Neata Airport brochure holder – A4 Surface mount



BROCHURE HOLDER Wall Mount

Wall mounted A4 brochure holders are a classy and discrete way to hold up to 150 A4 sheets. Mounts securely to any flat wall surface.

PART No.	DESCRIPTION
NBH-A4WM	Neata brochure holder – A4 Wall mount
NBM	Neata base mount



80MM KNOCK-IN SLEEVES

For use with 'In-Floor' posts. The NK80 is a flush finish 316 stainless steel in-floor mechanical anchor with an M20 internal thread. The anchor is placed in a 25mm diameter by 85mm deep hole. Using the correct setting tool and a few hammer blows the anchor is expanded in the hole to create a positive hold down point. Supplied with a press fit flush cap.

PART No.	DESCRIPTION
NK80-FS	Knock-In floor sleeve with cap
NK80-CS	Knock-In sleeve with cap
NK80-ST	NK80 setting tool (one)
NKCAP	Additional plastic Neata cap
NKCAP-SS	Optional stainless screw-in cap



50MM EPOXY SLEEVES

For use with 'In-Floor' posts. The NE50-FS and NE50-CS are flush finish in-floor chemical anchors with an M20 internal thread. They have been designed for shallow embedment requiring only a 50mm deep hole. Machined from marine grade 316 stainless steel they are fixed into a 35mm diameter hole using a two-part epoxy adhesive. Supplied with a press fit flush cap.

PART No.	DESCRIPTION
NE50-FS	50mm epoxy sleeve with cap
NE50-CS	50mm epoxy carpet sleeve with cap
NKCAP	Additional plastic Neata cap
NKCAP-SS	Optional stainless screw-in cap



150MM EPOXY SLEEVES

For use with 'In-Floor' posts. The NE150-FS and NE150-CS are flush finish in-floor chemical anchors with an M20 internal thread. They have been designed for deeper embedment. Machined from marine grade 316 stainless steel they are fixed into a 35mm diameter hole using a two-part epoxy adhesive. Supplied with a press fit flush cap.

PART No.	DESCRIPTION
NE150-FS	150mm epoxy sleeve with cap
NE150-CS	150mm epoxy carpet sleeve with cap
NKCAP	Additional plastic Neata cap
NKCAP-SS	Optional stainless screw-in cap



POST LOCKING TOOL

The Neata post locking tool serves two purposes. Firstly, it is used to lock and release in-floor posts from the ground and secondly, it is used for removing the flush caps from the in-floor sleeves. One locking tool is supplied with every order for Neata in-floor posts, however additional tools are available.

Manufactured from laser cut mild steel with a zinc plated finish and plastic coating grip.

PART No.	DESCRIPTION
NLT	Neata post locking tool



BRAIDED ROPES

A selection of high quality braided ropes in a range of colours with machined stainless steel end ferrules. Our standard ropes are made to suit 2 metre post centres. However custom made ropes can be made in any length up to 2.5 metres.

PART No.	DESCRIPTION
NROPE-BLK	2 metre rope – Black
NROPE-BLU	2 metre rope – Blue
NROPE-RED	2 metre rope – Red
NROPE-BUR	2 metre rope – Burgundy
NRCUS-BLK	Custom rope – Black
NRCUS-BLU	Custom rope – Blue
NRCUS-RED	Custom rope – Red
NRCUS-BUR	Custom rope – Burgundy



CHAIN

For use with rope posts. Two chain types are available, either plastic or stainless steel. The economical 6mm plastic chain is sold in 25 metre rolls. While the high quality 6mm stainless steel chain is sold loose by the metre.

PART No.	DESCRIPTION
PC6R-R	6mm plastic chain – Red roll
PC6Y-R	6mm plastic chain – Yellow roll
PC6RW-R	6mm plastic chain – Red/White roll
PC6W-R	6mm plastic chain – White roll
SSC6	6mm stainless steel chain/mtr



CASSETTE CLIPS

These two injection moulded nylon clips can be retro-fitted to any existing Neata post. The hook clip (NCHC-BN), above left, allows for the inclusion of rope/chain connection points to existing belt or rail posts. The blanking clip (NCBC-BN), above right, can be used to replace unwanted belt receiver clips on posts, thereby eliminating snag points to passing pedestrians.

PART No.	DESCRIPTION
NCBC-BN	Cassette blanking clip
NCHC-BN	Cassette hook clip



WALL RECEIVER (HOOK)

Wall receivers allow ropes and chains to be terminated at any wall or post etc. All Neata braided ropes and chains are compatible with these wall receivers. They are injection moulded from Black nylon and are attached with two self tapping screws provided.

PART No.	DESCRIPTION
NHWR	Hook wall mount receiver



WALL RECEIVER (BELT)

Wall receivers allow belts to be terminated at any wall or post etc. All Neata belt posts and wall mount belt barriers are compatible with these wall receivers. They are injection moulded from Black nylon and attached with two self tapping screws provided.

PART No.	DESCRIPTION
NBWR	Belt wall mount receiver



REPLACEMENT CASSETTES

Although our belt cassettes are very reliable, they are often installed in high-traffic pedestrian areas and as such can be subjected to a great deal of abuse. With Neata posts and wall mounts, damaged cassettes can be replaced in minutes using only a screw driver. Replacement cassettes are sold as a complete unit available in a range of colours.

PART No.	DESCRIPTION
NRBC-BLK	Belt cassette – Black
NRBC-BLU	Belt cassette – Blue
NRBC-RED	Belt cassette – Red
NRBC-YEL	Belt cassette – Yellow
NRBC-BUR	Belt cassette – Burgundy
NRBC-BY	Belt cassette – Black/Yellow
NRBC-RW	Belt cassette – Red/White



BELT PRINTING

Printing can be single or double sided and is limited to a maximum of two colours per side. All custom printing requires a minimum of 25 metres. Please refer to our customer service staff for more information.

PART No.	DESCRIPTION
NSP2	Custom printing of belt per metre
NSP-C	“Caution” – Black/Yellow
NSP-CNE	“Caution No Entry” – Black/Yellow
NSP-DNE	“Do Not Enter” – Black/Yellow
NDP-NE	“No Entry” – Red/White



POST STORAGE TROLLEY

A heavy duty mobile trolley for the storage and handling of up to 40 in-floor Neata posts. Swivelling and locking castors ensure the fully loaded trolley is stable and easy to manoeuvre. The folding handle allows the trolley to be stored in a minimum amount of space when not in service.

PART No.	DESCRIPTION
NST-40	Storage trolley for 40 in-floor posts

NEATA GALLERY BARRIERS



'Neata Gallery' is a high-end, discrete crowd management system designed for galleries and exhibition spaces where it is the display that's on show not the barrier system.

Three mounting systems, two post heights and a range of accessories ensures 'Neata Gallery' has the flexibility to cope with any situation.

1. Discrete 5mm elasticated cord in a range of colours and our unique cord locking system keeps the system under constant tension.
2. Neata in-floor mounting system means the footprint of Gallery can be as small as 32mm in diameter. With the posts removed the floor is left capped and flush. Freestanding and surface mount models also available.
3. A range of accessories including cast aluminium quick-fit sign holders, brochure holders and wall receivers.
4. All Neata Gallery posts, bases and in-floor sleeves and manufactured from polished marine grade 316 stainless steel.



NG450IF-SS

NG900IF-SS

GALLERY POSTS In-Floor

Permanent but removable, constant clean lines, discrete, space saving, no tripping hazards and flush capped floors when the posts are removed. These are all qualities of the Gallery in-floor system.

The posts simply screw into the sleeves achieving a clean, clutter free system that never needs alignment or constant adjustment and delivers maximum access and clear circulation for wheel chairs and strollers. An additional benefit is that Gallery In-floor posts don't need to be removed for floor cleaning, which saves time. Used with our 5mm elasticated cord, choose between the 450mm or 900mm high models.

Post: 316 stainless, 32 x 1.6 x 450 or 900mm high.

Base: Threaded in-floor stainless sleeve.

Footprint: 32mm diameter.

Connection: M20 thread into floor sleeve.

Barrier type: 5mm elasticated cord.

Weight: 450mm – 0.85kg post only.
900mm – 1.35kgs post only.

Installation: Core drilled in-floor sleeve (Sleeves sold separately, see page 51).

PART No.	DESCRIPTION
NG450IF-SS	Neata Gallery In-Floor post – 450mm (0.85kg)
NG900IF-SS	Neata Gallery In-Floor post – 900mm (1.35kgs)



NG450SM-SS

NG900SM-SS

GALLERY POSTS Surface Mount

Gallery Surface Mount can be securely fixed to any surface including timber floors. The 100mm diameter base plate is screwed to the floor and concealed with a polished 316 stainless steel cover plate. The posts simply screw onto the base plate achieving a clean, clutter free system that never needs alignment or constant adjustment. Compared with freestanding barriers, these deliver vastly improved access and clear circulation for wheel chairs and strollers. An additional benefit is that Gallery Surface Mount barriers are not removed for floor cleaning, a major time saving.

Available in 450mm and 900mm high models.

Post:	316 stainless, 32 x 1.6 x 450 or 900mm high.
Base:	316 stainless skirt over 8 x 100mm zinc plated mild steel plate.
Footprint:	100mm diameter.
Connection:	M10 stud into base plate.
Barrier type:	5mm elasticated cord.
Weight:	450mm – 1.35kgs post & base. 900mm – 1.85kgs post & base.
Installation:	3 concealed fixings (sold separately).

PART No.	DESCRIPTION
NG450SM-SS	Neata Gallery Surface Mount post & base – 450mm (1.35kgs)
NG900SM-SS	Neata Gallery Surface Mount post & base – 900mm (1.85kgs)



NG450SL-SS

NG900SL-SS

GALLERY POSTS Slimline Portable

Elegant 16mm thick Slimline base, portability, flexibility, stainless steel finish. These are all qualities of the Gallery Slimline Portable system. Gallery Slimline barriers can be quickly positioned and removed for short term crowd management or temporary exhibitions. The 16mm thick by 250mm diameter steel base plate is dressed with a polished 316 stainless steel cover plate while the base is fitted with cushioned pads to protect sensitive floors. Used with our 5mm elasticated cord, choose between the 450mm or 900mm high models.

Post:	316 stainless, 32 x 1.6 x 450 or 900mm high.
Base:	316 stainless skirt over 16 x 250mm zinc plated mild steel plate.
Footprint:	250mm diameter.
Connection:	M10 stud into base plate.
Barrier type:	5mm elasticated cord.
Weight:	450mm – 7.2kgs post & base. 900mm – 7.7kgs post & base.
Assembly:	Single M10 bolt (supplied).

PART No.	DESCRIPTION
NG450SL-SS	Neata Gallery Slimline Portable post & base – 450mm (7.2kgs)
NG900SL-SS	Neata Gallery Slimline Portable post & base – 900mm (7.7kgs)



Angled model shown

GALLERY POSTS Post Mount Sign Holder

Vertical or angled sign holders which can view any laser printed messages from both sides. Clamps to 32mm Gallery post.

PART No.	DESCRIPTION
NGSH-A4APM	Neata Gallery sign holder – A4 Angled post mount
NGSH-A4SPM	Neata Gallery A4 sign holder – A4 Straight post mount



SIGN HOLDER Surface Mount

Surface mount model for desktop applications these sign holders can display any laser printed messages and can be viewed from both sides.

PART No.	DESCRIPTION
NSH-A4SM	Neata sign holder – A4 Surface mount



SIGN HOLDER Wall Mount

The quick release acrylic panel receives any laser printed message or sign. Mounts securely to any flat wall surface.

PART No.	DESCRIPTION
NSH-A4WM	Neata sign holder – A4 Wall mount



GALLERY POSTS Post Mount Brochure Holder

Vertical or angled A4 brochure holders hold up to 100 A4 sheets. Clamps to 32mm Gallery post without interfering with the elasticated cord.

PART No.	DESCRIPTION
NGBH-A4PM	Neata Gallery brochure holder – A4 Post mount



BROCHURE HOLDER Surface Mount

Freestanding model for desktop applications these A4 brochure holders are a classy and discrete way to hold up to 150 A4 sheets. Can be surface mounted if necessary.

PART No.	DESCRIPTION
NBH-A4SM	Neata brochure holder – A4 Surface mount



BROCHURE HOLDER Wall Mount

Wall mounted A4 brochure holders are a classy and discrete way to hold up to 150 A4 sheets. Mounts securely to any flat wall surface.

PART No.	DESCRIPTION
NBH-A4WM	Neata brochure holder – A4 Wall mount
NBM	Neata base mount



WALL RECEIVER

The Neata Gallery wall receiver is a two piece design machined from solid marine grade 316 stainless steel. The base is internally screwed to the wall or cabinet etc., the elasticated cord passes through the cap and is knotted. The cap then screws into the base resulting in a very elegant and compact receiver with no visible fixings. **For use with our 5mm elasticated cord.**

PART No.	DESCRIPTION
NGWR-SS	Neata Gallery S/S wall receiver



ELASTICATED CORD

The Neata Gallery system uses a 5mm elasticated cord to provide a clean unobtrusive barrier. The cord is stretched between the Gallery posts with just enough tension to hold it straight and avoid the saggy look of most rope barriers. The cord is available in four standard colours and is sold in 100 metre rolls.

PART No.	DESCRIPTION
NGEC-BLK	Elasticated cord 5mm – Black
NGEC-RED	Elasticated cord 5mm – Red
NGEC-BLU	Elasticated cord 5mm – Blue
NGEC-GREY	Elasticated cord 5mm – Grey



80MM KNOCK-IN SLEEVES

For use with 'In-Floor' posts. The NK80 is a flush finish 316 stainless steel in-floor mechanical anchor with an M20 internal thread. The anchor is placed in a 25mm diameter by 85mm deep hole. Using the correct setting tool and a few hammer blows the anchor is expanded in the hole to create a positive hold down point. Supplied with a press fit flush cap.

PART No.	DESCRIPTION
NK80-FS	Knock-In floor sleeve with cap
NK80-CS	Knock-In sleeve with cap
NK80-ST	NK80 setting tool (one)
NKCAP	Additional plastic Neata cap
NKCAP-SS	Optional stainless screw-in cap



50MM EPOXY SLEEVES

For use with 'In-Floor' posts. The NE50-FS and NE50-CS are flush finish in-floor chemical anchors with an M20 internal thread. They have been designed for shallow embedment requiring only a 50mm deep hole. Machined from marine grade 316 stainless steel they are fixed into a 35mm diameter hole using a two-part epoxy adhesive. Supplied with a press fit flush cap.

PART No.	DESCRIPTION
NE50-FS	50mm epoxy sleeve with cap
NE50-CS	50mm epoxy carpet sleeve with cap
NKCAP	Additional plastic Neata cap
NKCAP-SS	Optional stainless screw-in cap



150MM EPOXY SLEEVES

For use with 'In-Floor' posts. The NE150-FS and NE150-CS are flush finish in-floor chemical anchors with an M20 internal thread. They have been designed for deeper embedment. Machined from marine grade 316 stainless steel they are fixed into a 35mm diameter hole using a two-part epoxy adhesive. Supplied with a press fit flush cap.

PART No.	DESCRIPTION
NE150-FS	150mm epoxy sleeve with cap
NE150-CS	150mm epoxy carpet sleeve with cap
NKCAP	Additional plastic Neata cap
NKCAP-SS	Optional stainless screw-in cap



POST STORAGE TROLLEY

A heavy duty mobile trolley for the storage and handling of up to 40 in-floor Neata posts. Swivelling and locking castors ensure the fully loaded trolley is stable and easy to manoeuvre. The folding handle allows the trolley to be stored in a minimum of space when not in service.

PART No.	DESCRIPTION
NST-40	Storage trolley for 40 in-floor posts